



Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name ANSULITE 3% AFFF (AFC3B)

1. Identification

1.1. Product Identifier

Product name ANSULITE 3% AFFF (AFC3B)

1.2. Other means of identification

Product code 443092

Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.

Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products
One Stanton Street
Marinette, WI 54143-2542
Telephone: 715-735-7411
Contact point Product Stewardship at 1-715-735-7411
E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 001-800-424-9300 or 001-703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation - Category 2A

2.2. Label Elements

Signal Word

WARNING

Hazard Statements

Causes serious eye irritation



Precautionary Statements



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B)

PAGE 2 / 9

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

3. Composition/information on Ingredients

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	5 - 10
Lauryl Imino Propionate, Sodium Salt	14960-06-6	1 - 5
Polyfluorinated alkyl betaine	Proprietary	1 - 5

4. First aid measures

4.1. Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.).
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B) /

PAGE 3 / 9

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NO_x), Oxides of sulfur

5.4. Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling

Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
2-(2-Butoxyethoxy)ethanol	TWA: 10 ppm inhalable	-	-	-



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B) /

PAGE 4 / 9

112-34-5	fraction and vapor			
----------	--------------------	--	--	--

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State	Liquid		
Odor	Characteristic	Color	Amber
Odor Threshold	No data available		
Property	Values	Remarks • Method	
pH	No data available		
Melting point/freezing point	No data available		
Boiling point / boiling range	100 °C / 212 °F		
Flash Point	No data available	No flash up to boiling point.	
Evaporation Rate	No data available		
Flammability (solid, gas)	No data available		
Flammability limit in air			
Upper flammability limit:	No data available		
Lower flammability limit:	No data available		
Vapor Pressure	No data available		
Vapor Density	No data available		
Specific gravity	No data available		
Water Solubility	No data available		
Solubility in Other Solvents	No data available		
Partition coefficient	No data available		
Autoignition Temperature	No data available		
Decomposition Temperature	No data available		
Kinematic viscosity	No data available		
VOC content (%)	10.0568		
Density	1.01 g/cm3		



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B)

PAGE 5 / 9

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

Inhalation	No data available.
Eye Contact	Severely irritating to eyes.
Skin contact	No data available.
Ingestion	No data available.

Component Information

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-Butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation Severely irritating to eyes.

Carcinogenicity No information available.



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B)

PAGE 6 / 9

Reproductive Toxicity No information available.
STOT - Single Exposure No information available.
STOT - Repeated Exposure No information available.
Aspiration Hazard No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 25600 mg/kg

ATEmix (dermal) 27648 mg/kg

12. Ecological Information

12.1. Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 (96h) > 100 mg/L Desmodesmus subspicatus	LC50 (96h) static = 1300 mg/L Lepomis macrochirus	EC50 (48h) > 100 mg/L Daphnia magna EC50 (24h) = 2850 mg/L Daphnia magna
1,2-Propanediol 57-55-6	EC50 (96h) = 19000 mg/L Pseudokirchneriella subcapitata	LC50 (96h) static = 51600 mg/L Oncorhynchus mykiss LC50 (96h) static = 51400 mg/L Pimephales promelas LC50 (96h) = 710 mg/L Pimephales promelas LC50 (96h) static 41 - 47 mL/L Oncorhynchus mykiss	EC50 (48h) Static > 1000 mg/L Daphnia magna EC50 (24h) > 10000 mg/L Daphnia magna
1-Octanol 111-87-5	EC50 (48h) static = 14 mg/L Desmodesmus subspicatus	LC50 (96h) static = 17.68 mg/L Oncorhynchus mykiss LC50 (96h) flow-through 11.4 - 12.9 mg/L Pimephales promelas	EC50 (24h) 15 - 26 mg/L Daphnia magna

Concentrate

Method	Biological Test Method: Acute Lethality Test Using Daphnia ssp. (EPS 1/RM/11)
Species	Daphnia magna
Endpoint type	LC50
Effective dose	928 mg/L
Exposure time	48h

Method	Biological Test Method: Acute Lethality Test Using Daphnia ssp. (EPS 1/RM/11)
Species	Daphnia magna
Endpoint type	EC50
Effective dose	790 mg/L
Exposure time	48h

Method	Biological Test Method: Acute Lethality Test Using Rainbow Trout (EPS 1/RM/9)
Species	Oncorhynchus mykiss (rainbow trout)
Endpoint type	LC50
Effective dose	5,320 mg/L
Exposure time	96h



Product code 443092

/ Product name ANSULITE 3% /
AFFF (AFC3B)

PAGE 7 / 9

3% Solution

Method	Biological Test Method: Acute Lethality Test Using Daphnia ssp. (EPS 1/RM/11)
Species	Daphnia magna
Endpoint type	LC50
Effective dose	52,830 mg/L
Exposure time	48h

Method	Biological Test Method: Acute Lethality Test Using Daphnia ssp. (EPS 1/RM/11)
Species	Daphnia magna
Endpoint type	EC50
Effective dose	36,990 mg/L
Exposure time	48h

Method	Biological Test Method: Acute Lethality Test Using Rainbow Trout (EPS 1/RM/9)
Species	Oncorhynchus mykiss (rainbow trout)
Endpoint type	LC50
Effective dose	185,200 mg/L
Exposure time	96h

Method	Biological Test Method: Acute Lethality Using Threespine Stickleback (Gasterosteus aculeatus) (EPS 1/RM/10)
Species	Gasterosteus aculeatus
Endpoint type	LC50
Effective dose	80,000 mg/L
Exposure time	96h

12.2. Persistence and Degradability

Chemical Oxygen Demand (mg/L)

Concentrate	230,000
3% Solution	7,000

Concentrate Biological Oxygen Demand (mg/L)

Biological Oxygen Demand (5 Day)	<20000
%BOD/COD	6.96
Biological Oxygen Demand (10 Day)	150000
%BOD/COD	65.22
Biological Oxygen Demand (15 Day)	170000
%BOD/COD	73.91
Biological Oxygen Demand (20 Day)	190000
%BOD/COD	82.61

3% Solution Biological Oxygen Demand (mg/L)

Biological Oxygen Demand (5 Day)	390
%BOD/COD	5.57
Biological Oxygen Demand (10 Day)	4600
%BOD/COD	65.71
Biological Oxygen Demand (15 Day)	5000
%BOD/COD	71.43
Biological Oxygen Demand (20 Day)	5200
%BOD/COD	74.29



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B) /

PAGE 8 / 9

12.3. Bioaccumulation

No information available.

12.4. Other Adverse Effects

No information available

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Do not reuse container.

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. Regulatory Information

15.1. International Inventories

TSCA	Complies
DSL/NDSL	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



Product code 443092

/ Product name ANSULITE 3%
AFFF (AFC3B)

PAGE 9 / 9

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

15.3. US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Perfluorooctanoic acid - 335-67-1	Developmental Toxicity

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X
1,2-Propanediol 57-55-6	X	-	X
1-Octanol 111-87-5	-	-	X

16. Other information, including date of preparation of the last revision

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health Hazards 1	Flammability 0	Physical Hazards 0	Personal Protection X

Revision date 11-Jan-2019

Revision note SDS sections updated, 12.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet